


## Amendments to the Claims

This following Listing of the Claims replaces all prior versions, and listings, of claims in the application:

### Listing of Claims:


1. (Presently amended) A compound (except N1-cyclopropyl-5-((2-(((2-chloroethylamino)carbonyl)amino)-4-pyridyl)oxy)-1H-1-indolecarboxamide) represented by the general formula:



wherein  $X_1$  represents a nitrogen atom or a group represented by the formula  $-CR_{10}=$ ,  $X_2$  represents a nitrogen atom or a group represented by the formula  $-CR_{11}=$ , and  $X_1$  and  $X_2$  do not represent a nitrogen atom at the same time;


$Y$  represents an oxygen atom, a sulfur atom, a sulfinyl group, a sulfonyl group, or a group represented by the formula  $-NR_Y-$  (wherein  $R_Y$  represents a hydrogen atom or a  $C_{1-6}$  alkyl group);

$R_1$  represents an optionally substituted  $C_{1-6}$  alkoxy group, an optionally substituted  $C_{6-10}$  aryloxy group, a group represented by the formula  $-NR_{12a}R_{12b}$ , a group represented by the formula:




(wherein  $Y_{A1}$  and  $Y_{A2}$  each independently represent a group represented by the formula  $-A_{10}-A_{11}-A_{12}$  (wherein  $A_{10}$  represents a single bond or an optionally substituted  $C_{1-6}$  alkylene;  $A_{11}$  represents a single bond, an oxygen atom, a carbonyl group or a sulfonyl group; and  $A_{12}$  represents a hydrogen atom, a  $C_{1-6}$  alkyl group, a  $C_{2-6}$  alkenyl group, a  $C_{2-6}$  alkynyl group, a  $C_{3-8}$

cycloalkyl group, a C<sub>6-10</sub> aryl group, a 5- to 10- membered heteroaryl group, a group represented by the formula –NR<sub>A10</sub>R<sub>A11</sub>, a group represented by the formula –OR<sub>A12</sub> (wherein R<sub>A10</sub>, R<sub>A11</sub> and R<sub>A12</sub> each independently represent a hydrogen atom, a C1-6 alkyl group or C<sub>3-8</sub> cycloalkyl group) or a group represented by the formula:




(wherein e represents 1 or 2; Z represents an oxygen atom, a group represented by the formula –CR<sub>X7</sub>R<sub>X8</sub>– or a group represented by the formula –NR<sub>X9</sub>–; R<sub>X7</sub>, R<sub>X8</sub> and R<sub>X9</sub> each independently represent a hydrogen atom, a hydroxyl group or a C<sub>1-6</sub> alkyl group)); and Y<sub>A3</sub> represents a hydrogen atom or an optionally substituted C<sub>1-6</sub> alkyl group) or a group represented by the formula:



(wherein T1 represents an optionally substituted 5- to 10- membered aromatic heterocycle which may have X in the ring or an optionally substituted 3- to 10- membered heterocycle which may have X in the ring);

R<sub>3</sub>, R<sub>4</sub>, R<sub>5</sub>, R<sub>6</sub>, R<sub>7</sub>, R<sub>8</sub>, R<sub>10</sub> and R<sub>11</sub> each independently represent a hydrogen atom, a halogen atom, a cyano group, an optionally substituted C<sub>1-6</sub> alkyl group, an optionally substituted C<sub>2-6</sub> alkenyl group, an optionally substituted C<sub>2-6</sub> alkynyl group, an optionally substituted C<sub>3-8</sub> cycloalkyl group, a group represented by the formula –CO-R<sub>13</sub>, a group represented by the formula –NR<sub>14</sub>-CO-R<sub>13</sub>, a group represented by the formula –SO<sub>2</sub>-R<sub>15</sub>, a group represented by the formula –NR<sub>14</sub>-SO<sub>2</sub>-R<sub>15</sub>, or a group represented by the formula –NR<sub>16a</sub>R<sub>16b</sub>;

R<sub>9</sub> represents a group represented by the formula –NR<sub>16a</sub>R<sub>16b</sub> or a group represented by the formula:




(wherein T2 represents an optionally substituted 5- to 10- membered aromatic heterocycle or an optionally substituted 3- to 10- membered heterocycle);

R<sub>12a</sub> and R<sub>12b</sub> each independently represent a hydrogen atom, an optionally substituted C<sub>1-6</sub> alkyl group, an optionally substituted C<sub>3-6</sub> alkenyl group, an optionally substituted C<sub>3-6</sub> alkynyl group,

an optionally substituted C<sub>3-8</sub> cycloalkyl group, an optionally substituted 3- to 10- membered heterocyclic group, or an optionally substituted C<sub>1-6</sub> alkoxy group;

R<sub>13</sub> represents a hydrogen atom, an optionally substituted C<sub>1-6</sub> alkyl group, an optionally substituted C<sub>2-6</sub> alkenyl group, an optionally substituted C<sub>2-6</sub> alkynyl group, an optionally substituted C<sub>3-8</sub> cycloalkyl group, an optionally substituted C<sub>6-10</sub> aryl group, an optionally substituted 5- to 10- membered heteroaryl group, an optionally substituted 3- to 10- membered heterocyclic group, an optionally substituted C<sub>1-6</sub> alkoxy group, an optionally substituted C<sub>6-10</sub> aryloxy group, a group represented by the formula -NR<sub>12a</sub>R<sub>12b</sub>, or a group represented by the formula:



(wherein T2 represents an optionally substituted 5- to 10- membered aromatic heterocycle or an optionally substituted 3- to 10- membered heterocycle);


R<sub>2</sub> and R<sub>14</sub> each independently represent a hydrogen atom, an optionally substituted C<sub>1-6</sub> alkyl group, an optionally substituted C<sub>2-6</sub> alkenyl group, an optionally substituted C<sub>2-6</sub> alkynyl group, an optionally substituted C<sub>3-8</sub> cycloalkyl group, or a group represented by the formula -CO-R<sub>13</sub>;

R<sub>15</sub> represents an optionally substituted C<sub>1-6</sub> alkyl group, an optionally substituted C<sub>2-6</sub> alkenyl group, an optionally substituted C<sub>2-6</sub> alkynyl group, an optionally substituted C<sub>3-8</sub> cycloalkyl group, an optionally substituted C<sub>6-10</sub> aryl group, an optionally substituted 5- to 10- membered heteroaryl group, or an optionally substituted 3- to 10- membered heterocyclic group;

R<sub>16a</sub> and R<sub>16b</sub> each independently represent a hydrogen atom, an optionally substituted C<sub>1-6</sub> alkyl group, an optionally substituted C<sub>3-6</sub> alkenyl group, an optionally substituted C<sub>3-6</sub> alkynyl group, an optionally substituted C<sub>3-8</sub> cycloalkyl group, an optionally substituted C<sub>6-10</sub> aryl group, an optionally substituted 5- to 10- membered heteroaryl group, an optionally substituted 3- to 10- membered heterocyclic group, or an optionally substituted C<sub>1-6</sub> alkoxy group; and

X represents an oxygen atom, a sulfur atom, a carbonyl group, a sulfonyl group, a group represented by the formula -CR<sub>X1</sub>R<sub>X2</sub>-, or a group represented by the formula -NR<sub>X3</sub>- (wherein R<sub>X1</sub>, R<sub>X2</sub> and R<sub>X3</sub> each independently represent a hydrogen atom or a group represented by the formula -A<sub>1</sub>-A<sub>2</sub>-A<sub>3</sub> (wherein A<sub>1</sub> and A<sub>2</sub> each independently represent a single bond, an optionally substituted C<sub>1-6</sub> alkylene group or a carbonyl group; and A<sub>3</sub> represents a hydrogen


atom, a C<sub>3-8</sub> cycloalkyl group, a group represented by the formula -NR<sub>A1</sub>R<sub>A2</sub>, or the formula -OR<sub>A3</sub> (wherein, R<sub>A1</sub>, R<sub>A2</sub> and R<sub>A3</sub> each independently represent a hydrogen atom or a C<sub>1-6</sub> alkyl group), or an optionally substituted group represented by the formula:



(wherein a represents 1 or 2)),

a salt thereof, or a hydrate of the foregoing.

2. (Presently amended) A The compound of claim 1 (except N1-cyclopropyl-5-(((2-chloroethylamino)carbonyl)amino)-4-pyridyl)oxy)-1H-1-indolecarboxamide represented by the general formula:




wherein X<sub>1</sub>, X<sub>2</sub>, Y, R<sub>1</sub>, R<sub>2</sub>, R<sub>3</sub>, R<sub>4</sub>, R<sub>5</sub>, R<sub>6</sub>, R<sub>7</sub>, R<sub>8</sub> and R<sub>9</sub> represent the same definitions as X<sub>1</sub>, X<sub>2</sub>, Y, R<sub>1</sub>, R<sub>2</sub>, R<sub>3</sub>, R<sub>4</sub>, R<sub>5</sub>, R<sub>6</sub>, R<sub>7</sub>, R<sub>8</sub> and R<sub>9</sub> in claim 1, respectively, a salt thereof, or a hydrate of the foregoing.

3. (Presently amended) A The compound according to claim 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein Y represents an oxygen atom, a group represented by the formula -NH-, or a group represented by the formula -N(CH<sub>3</sub>)-.

4. (Presently amended) A The compound according to claim 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein Y represents an oxygen atom.

5. (Presently amended) A The compound according to any of claims 1 to 4, a salt of the compound, or a hydrate of the foregoing, wherein one of X<sub>1</sub> and X<sub>2</sub> represents a group represented by the formula -CH= and the other represents a nitrogen atom.

6. (Presently amended) A The compound according to any of claims 1 to 4, a salt of the compound, or a hydrate of the foregoing, wherein both  $X_1$  and  $X_2$  represent a group represented by the formula  $-CH=$ .
7. (Presently amended) A The compound according to any of claims 1 to 6, a salt of the compound, or a hydrate of the foregoing, wherein  $R_3$ ,  $R_4$ ,  $R_5$ ,  $R_6$  and  $R_8$  each represent a hydrogen atom, and  $R_7$  represents a hydrogen atom, a halogen atom or an optionally substituted  $C_{1-6}$  alkyl group.
8. (Presently amended) A The compound according to any of claims 1 to 7, a salt of the compound, or a hydrate of the foregoing, wherein  $R_9$  represents a group represented by the formula  $-NHR_{17}$  (wherein  $R_{17}$  represents an optionally substituted  $C_{1-6}$  alkyl group, a  $C_{3-6}$  alkynyl group, a  $C_{3-8}$  cycloalkyl group, an optionally substituted  $C_{6-10}$  aryl group or an optionally substituted 5- to 10- membered heteroaryl group).
9. (Presently amended) A The compound according to claim 1 ~~any of claims 1 to 7~~, a salt of the compound, or a hydrate of the foregoing, wherein  $R_9$  represents a group represented by the formula  $-NR_{18a}R_{18b}$  (wherein  $R_{18a}$  and  $R_{18b}$  each independently represent a  $C_{1-6}$  alkyl group).
10. (Presently amended) A The compound according to claim 1 ~~any of claims 1 to 7~~, a salt of the compound, or a hydrate of the foregoing, wherein  $R_9$  represents a group represented by the formula:



(wherein  $b_1$  represents 1 or 2; X represents the same definition as X in claim 1).

11. (Presently amended) A The compound according to claim 1 ~~any of claims 1 to 7~~, a salt of the compound, or a hydrate of the foregoing, wherein  $R_9$  represents a group represented by the formula  $-NHR_{19}$  (wherein  $R_{19}$  represents a  $C_{1-6}$  alkyl group, a  $C_{3-6}$  alkynyl group, a  $C_{3-8}$

cycloalkyl group or a C<sub>6-10</sub> aryl group).


12. (Presently amended) A The compound according to claim 1 ~~any of claims 1 to 11~~, a salt of the compound, or a hydrate of the foregoing, wherein R<sub>3</sub>, R<sub>4</sub>, R<sub>5</sub>, R<sub>6</sub>, R<sub>7</sub> and R<sub>8</sub> each represent a hydrogen atom.

13. (Presently amended) A The compound according to claim 1 ~~any of claims 1 to 12~~, a salt of the compound, or a hydrate of the foregoing, wherein R<sub>2</sub> represents a hydrogen atom.

14. (Presently amended) A The compound according to claim 1 ~~any of claims 1 to 13~~, a salt of the compound, or a hydrate of the foregoing, wherein R<sub>9</sub> represents a group represented by the formula -NHR<sub>20</sub> (wherein R<sub>20</sub> represents a methyl group, an ethyl group or a cyclopropyl group).


15. (Presently amended) A The compound according to claim 1 ~~any of claims 1 to 13~~, a salt of the compound, or a hydrate of the foregoing, wherein R<sub>9</sub> represents a group represented by the formula -NH(CH<sub>3</sub>).

16. (Presently amended) A The compound according to claim 1 ~~any of claims 1 to 15~~, a salt of the compound, or a hydrate of the foregoing, wherein R<sub>1</sub> represents a further optionally substituted group represented by the formula:



(wherein b<sub>2</sub> represents 0, 1 or 2; and X represents the same definition as X in claim 1).


17. (Presently amended) A The compound according to claim 1 ~~any of claims 1 to 16~~, a salt of the compound, or a hydrate of the foregoing, wherein R<sub>1</sub> represents a group represented by the formula:



(wherein X represents the same definition as X in claim 1).


18. (Presently amended) A The compound according to claim 17, a salt of the compound, or a hydrate of the foregoing, wherein X in the formula (IV) represents an oxygen atom.

19. (Presently amended) A The compound according to claim 17, a salt of the compound, or a hydrate of the foregoing, wherein X in the formula (IV) represents a group represented by the formula:




(wherein  $\text{R}_{\text{X4}}$  represents a hydrogen atom or a group represented by the formula  $-\text{A}_4-\text{A}_5-\text{A}_6$  (wherein  $\text{A}_4$  and  $\text{A}_5$  each independently represent a single bond, an optionally substituted  $\text{C}_{1-6}$  alkylene or a carbonyl group; and  $\text{A}_6$  represents a hydrogen atom, a  $\text{C}_{3-8}$  cycloalkyl group or a group represented by the formula  $-\text{NR}_{\text{A4}}\text{R}_{\text{A5}}$  or the formula  $-\text{OR}_{\text{A6}}$  (wherein  $\text{R}_{\text{A4}}$ ,  $\text{R}_{\text{A5}}$  and  $\text{R}_{\text{A6}}$  each independently represent a hydrogen atom or a  $\text{C}_{1-6}$  alkyl group))).

20. (Presently amended) A The compound according to claim 17, a salt of the compound, or a hydrate of the foregoing, wherein X in the formula (IV) represents a group represented by the formula:




(wherein  $\text{R}_{\text{X5}}$  and  $\text{R}_{\text{X6}}$  each independently represent a hydrogen atom or a group represented by the formula  $-\text{A}_7-\text{A}_8-\text{A}_9$  (wherein  $\text{A}_7$  and  $\text{A}_8$  each independently represent a single bond, an optionally substituted  $\text{C}_{1-6}$  alkylene group or a carbonyl group; and  $\text{A}_9$  represents a hydrogen atom, a  $\text{C}_{3-8}$  cycloalkyl group, a group represented by the formula  $-\text{NR}_{\text{A7}}\text{R}_{\text{A8}}$ , or the formula  $-\text{OR}_{\text{A9}}$  (wherein  $\text{R}_{\text{A7}}$ ,  $\text{R}_{\text{A8}}$ , and  $\text{R}_{\text{A9}}$  each independently represent a hydrogen atom or a  $\text{C}_{1-6}$  alkyl group), or a group represented by the formula:



(wherein  $\text{c}_1$  represents 0, 1 or 2))).


21. (Presently amended) A The compound according to claim 20, a salt of the compound, or a hydrate of the foregoing, wherein one of  $R_{X5}$  and  $R_{X6}$  in the formula (VI) represents a hydroxyl group and the other represents a hydrogen atom or a  $C_{1-6}$  alkyl group.

22. (Presently amended) A The compound according to claim 20, a salt of the compound, or a hydrate of the foregoing, wherein one of  $R_{X5}$  or  $R_{X6}$  in the formula (VI) represents a hydrogen atom and the other represents a group represented by the formula:




(wherein  $c_2$  represents 1 or 2).

23. (Presently amended) A The compound according to claim 1 ~~any of claims 1 to 16~~, a salt of the compound, or a hydrate of the foregoing, wherein  $R_1$  represents a group represented by the formula:




(wherein  $R_{X51}$  and  $R_{X61}$  each independently represent a hydrogen atom or a group represented by the formula  $-A_{71}-A_{81}-A_{91}$  (wherein  $A_{71}$  and  $A_{81}$  each independently represent a single bond, an optionally substituted  $C_{1-6}$  alkylene group or a carbonyl group; and  $A_{91}$  represents a hydrogen atom, a  $C_{3-8}$  cycloalkyl group, a group represented by the formula  $-NR_{A71}R_{A81}$ , or the formula  $-OR_{A91}$  (wherein  $R_{A71}$ ,  $R_{A81}$ , and  $R_{A91}$  each independently represent a hydrogen atom or a  $C_{1-6}$  alkyl group), or a group represented by the formula:




(wherein  $c_{11}$  represents 0, 1 or 2))).

24. (Presently amended) A The compound according to claim 1 ~~any of claims 1 to 15~~, a salt of the compound, or a hydrate of the foregoing, wherein  $R_1$  represents a group represented by the formula:






(wherein  $Y_{A1}$  and  $Y_{A2}$  each independently represent a group represented by the formula  $-A_{10}-A_{11}-A_{12}$  (wherein  $A_{10}$  represents a single bond or an optionally substituted  $C_{1-6}$  alkylene group;  $A_{11}$  represents a single bond, an oxygen atom, a carbonyl group, or a sulfonyl group; and  $A_{12}$  represents a hydrogen atom, a  $C_{1-6}$  alkyl group, a  $C_{2-6}$  alkenyl group, a  $C_{2-6}$  alkynyl group, a  $C_{3-8}$  cycloalkyl group, a  $C_{6-10}$  aryl group, a 5- to 10- membered heteroaryl group, a group represented by the formula  $-NR_{A10}R_{A11}$ , or the formula  $-OR_{A12}$  (wherein,  $R_{A10}$ ,  $R_{A11}$  and  $R_{A12}$  each independently represent a hydrogen atom, a  $C_{1-6}$  alkyl group or a  $C_{3-8}$  cycloalkyl group), or a group represented by the formula:




(wherein  $e$  represents 1 or 2; and  $Z$  represents an oxygen atom or a group represented by the formula  $-CR_{X7}R_{X8}-$  or the formula  $-NR_{X9}-$  (wherein  $R_{X7}$ ,  $R_{X8}$  and  $R_{X9}$  each independently represent a hydrogen atom, a hydroxyl group or a  $C_{1-6}$  alkyl group))); and  $Y_{A3}$  represents a hydrogen atom or an optionally substituted  $C_{1-6}$  alkyl group).

25. (Presently amended) A The compound according to claim 24, a salt of the compound, or a hydrate of the foregoing, wherein one of  $Y_{A1}$  and  $Y_{A2}$  in the formula (VIII) represents a hydrogen atom and the other represents a group represented by the formula  $-(CH_2)_2-A_{13}-A_{14}$  (wherein  $A_{13}$  represents a single bond, a carbonyl group or a sulfonyl group; and  $A_{14}$  represents a  $C_{1-6}$  alkyl group, a group represented by the formula  $-NR_{A13}R_{A14}$  (wherein  $R_{A13}$  and  $R_{A14}$  each independently represent a hydrogen atom, a  $C_{1-6}$  alkyl group or a  $C_{3-8}$  cycloalkyl group), or a group represented by the formula:




(wherein  $e$  and  $Z$  represent the same definitions as  $e$  and  $Z$  in claim 24, respectively)); and  $Y_{A3}$  in the formula (VIII) represents a hydrogen atom.

26. (Presently amended) A The compound according to claim 1 ~~any of claims 1 to 15~~, a salt of the compound, or a hydrate of the foregoing, wherein R<sub>1</sub> represents a group represented by the formulas:



(each of the foregoing members being optionally substituted with a group selected from Substituent Group Alpha,


wherein Substituent Group Alpha is a group consisting of a halogen atom, a hydroxyl group, a thiol group, a nitro group, a cyano group, a carboxyl group, an amino group, a C<sub>1-6</sub> alkyl group, a C<sub>3-8</sub> cycloalkyl group, and a group represented by the formulas:




(wherein R<sub>N1</sub> and R<sub>N2</sub> each independently represent a hydrogen atom or a C<sub>1-6</sub> alkyl group)).

27. (Presently amended) A The compound according to claim 1 ~~any of claims 1 to 15~~, a salt of the compound, or a hydrate of the foregoing, wherein R<sub>1</sub> represents a group represented by the formulas:






30. (Presently amended) A The compound according to claim 1 ~~or 2~~, a salt of the compound, or a hydrate of the foregoing, wherein the compound is represented by the general formula:




(wherein R<sub>1</sub> represents a group represented by the formulas:



(each of the foregoing members being optionally substituted with a group selected from Substituent Group Beta,

wherein Substituent Group Beta is a group consisting of a hydroxyl group, a C<sub>1-6</sub> alkyl group, a C<sub>3-8</sub> cycloalkyl group, and a group represented by the formulas:



(wherein  $R_{N1}$  and  $R_{N2}$  each independently represent a hydrogen atom or a  $C_{1-6}$  alkyl group)); and  $R_9$  represents a group represented by the formula  $-NHR_{20}$  (wherein  $R_{20}$  represents a methyl group, an ethyl group or a cyclopropyl group)).

31. (Presently amended) A The compound according to claim 1, a salt of the compound, or a hydrate of the foregoing, wherein the compound is a compound selected from a group consisting of

- (1) N1-ethyl-5-(2-((methoxylamino)carbonyl)amino-4-pyrimidyl)oxy-1H-indolecarboxamide;
- (2) 5-(6-(3-(3-diethylaminopropylamino)ureido)pyrimidin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (3) 5-(6-(((4-hydroxypiperidin-1-yl)carbonyl)amino)-pyrimidin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (4) 5-(6-(((4-pyrrolidin-1-yl)piperidin-1-yl)carbonylamino)pyrimidin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (5) 5-(2-(3-((1R)-1-carbamoyl-2-phenylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (6) 5-(2-(3-((1S)-1-carbamoyl-2-phenylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (7) 5-(2-(3-(2-oxo-2-(pyrrolidin-1-yl)ethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (8) 5-(2-(3-(2-(4-hydroxy-4-methylpiperidin-1-yl)-2-oxoethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (9) 5-(2-(3-((1S)-1-carbamoyl-2-phenylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (10) 5-(2-(3-((1S)-1-carbamoyl-3-methylbutyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

acid methylamide;

(11) 5-(2-(3-carbamoylmethylureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid

methylamide;

(12) 5-(2-(3-cyclopropylcarbamoylmethylureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid

methylamide;

(13) 5-(2-(3-((1S)-1-carbamoyl-2-hydroxyethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(14) 5-(2-(3-((1R)-1-carbamoyl-2-hydroxyethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(15) (2S)-2-(3-(4-(1-methylcarbamoyl-1H-indol-5-yloxy)pyridin-2-yl)ureido)-1,5-pentanedicarboxylic acid diamide;

(16) (2S)-2-(3-(4-(1-methylcarbamoyl-1H-indol-5-yloxy)pyridin-2-yl)ureido)succinamide;

(17) 5-(2-(3-((1S)-1-cyclopropylcarbamoyl-2-hydroxyethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(18) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(19) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(20) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(21) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(22) 5-(2-(3-((1S)-1-hydroxymethyl-2-(4-hydroxypiperidin-1-yl)-2-oxoethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(23) 5-(2-(3-((1S)-1-hydroxymethyl-2-(morpholin-4-yl)-2-oxoethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(24) 5-(2-(3-(2-cyclopropylcarbamoylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(25) 5-(2-(3-(3-oxo-3-(pyrrolidin-1-yl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(26) 5-(2-(3-(3-(4-hydroxy-4-methylpiperidin-1-yl)-3-oxopropyl)ureido)pyridin-4-yloxy)-1H-

indole-1-carboxylic acid methylamide;

(27) N1-ethyl-5-(2-(((2-ethoxyethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(28) N1-methyl-5-(2-((4-(2-hydroxy-2-methylpropionyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(29) N1-methyl-5-(2-((3-(diethylamino)propylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(30) N1-methyl-5-(2-(((3-(4-hydroxypiperidino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(31) N1-methyl-5-(2-(((3-(4-methylpiperazin-1-yl)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(32) 5-(2-(3-(4-oxo-4-(pyrrolidin-1-yl)butyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(33) 5-(2-(3-(3-(cyclopropylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(34) 5-(2-(3-(4-(4-hydroxy-4-methylpiperidin-1-yl)-4-oxobutyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(35) 5-(2-(3-(3-(diethylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(36) 5-(2-(3-(3-(methylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(37) N1-methyl-5-(2-(pyrrolidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(38) N1-methyl-5-(2-(piperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(39) N1-methyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(40) N1-methyl-5-(2-(4-oxopiperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(41) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(42) N1-methyl-5-(2-((4-(1-hydroxy-1-methylethyl)piperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

- (43) 5-(2-(((4-(3-methylcarbamoylpropyl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (44) 5-(2-(((4-(3-carbamoylpropyl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (45) 5-(2-((4-((pyrrolidin-1-yl)carbonyl)piperidin-1-yl)carbonylamino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (46) N1-methyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (47) N1-methyl-5-(2-(((4-(piperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (48) N1-methyl-5-(2-((4-ethylpiperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (49) N1-methyl-5-(2-((4-(2-hydroxyethyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (50) N1-methyl-5-(2-((3-methylsulfonylpropylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (51) N1-methyl-5-(2-((4-(2-dimethylaminoacetyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (52) N1-methyl-5-(2-((4-cyclohexylpiperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (53) N4-(4-(1-(methylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (54) N1-methyl-5-(2-((1,1-dioxothiomorpholin-4-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (55) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (56) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (57) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (58) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;



- (59) 5-(2-(3-(2-(4-hydroxy-4-methylpiperidin-1-yl)-2-oxoethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (60) N1-ethyl-5-(2-((((1-methyl-4-piperidyl)methyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (61) N1-ethyl-5-(2-(((2-diethylamino)ethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (62) N1-ethyl-5-(2-(((2-(morpholin-4-yl)ethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (63) N1-ethyl-5-(2-(((2-(4-hydroxypiperidino)ethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (64) N1-methyl-5-(2-(((2-(4-hydroxypiperidino)ethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (65) N1-ethyl-5-(2-(((3-(diethylamino)propylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (66) N1-ethyl-5-(2-(((3-(morpholin-4-yl)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (67) N1-ethyl-5-(2-(((3-(4-methylpiperazin-1-yl)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (68) N1-cyclopropyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (69) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (70) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (71) 5-(2-(3-(2-oxo-2-(pyrrolidin-1-yl)ethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (72) 5-(2-(3-(3-oxo-3-(pyrrolidin-1-yl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (73) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (74) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-

indole-1-carboxylic acid cyclopropylamide;

(75) N1-phenyl-5-(2-(((3-(diethylamino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(76) N1-phenyl-5-(2-(((3-(4-methylpiperazin-1-yl)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(77) N1-ethyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;

(78) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;

(79) N1-ethyl-5-(2-(((4-hydroxypiperidin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(80) N1-ethyl-5-(2-(piperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(81) N1-ethyl-5-((2-((pyrrolidin-1-ylcarbonyl)amino)-4-pyridyl)oxy)-1H-1-indolecarboxamide;

(82) N4-(4-((1-(ethylamino)carbonyl-1H-5-indolyl)oxy)-2-pyridyl)-4-morpholinecarboxamide;

(83) N1-ethyl-5-(2-((1,1-dioxothiomorpholin-4-ylcarbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;

(84) N1-ethyl-5-(2-((methoxylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(85) N1-cyclopropyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(86) N1-cyclopropyl-5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;

(87) N4-(4-(1-(cyclopropylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;

(88) N1-cyclopropyl-5-(2-((pyrrolidin-1-ylcarbonyl)amino)-4-pyridyl)oxy-1H-1-indolecarboxamide;

(89) N1-cyclopropyl-5-(2-(piperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(90) N4-(4-(1-(cyclopentylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;

(91) 5-(2-(((4-hydroxypiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopentylamide;

- (92) N1-cyclopentyl-5-(2-((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (93) N1-(3-methylbutyl)-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (94) N1-(3-methylbutyl)-5-(2-((4-(hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy)-1H-1-indolecarboxamide;
- (95) N4-(4-(1-((3-methylbutyl)amino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (96) N1-(1-ethylpropyl)-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (97) N1-(1-ethylpropyl)-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (98) N4-(4-(1-((1-ethylpropyl)amino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (99) N4-(4-(1-((1-pentyl)amino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (100) N1-(1-pentyl)-5-(2-(((4-hydroxypiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (101) N1-(1-pentyl)-5-(2-((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (102) N1-methyl-3-chloro-5-(2-(((3-(diethylamino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (103) N1-methyl-3-chloro-5-(2-((4-(pyrrolidin-1-yl)piperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (104) N1-methyl-3-chloro-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (105) N1-methyl-3-chloro-5-(2-(((3-(4-hydroxypiperidino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (106) N1-methyl-3-chloro-5-(2-((4-(2-hydroxyethyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (107) N4-(4-(3-chloro-1-(methylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-

morpholinecarboxamide;

(108) N1-methyl-3-chloro-5-(2-((4-(ethylpiperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(109) N1-ethyl-3-chloro-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(110) N1-ethyl-3-chloro-5-(2-(((3-(4-hydroxypiperidino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(111) N1-ethyl-3-chloro-5-(2-(((3-(diethylamino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(112) N1,3-dimethyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(113) N1,3-dimethyl-5-(2-((4-(pyrrolidin-1-yl)piperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(114) N1-cyclopropyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-3-methyl-1H-1-indolecarboxamide;

(115) N1-cyclopropyl-5-(2-((4-(2-hydroxyethyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-3-methyl-1H-1-indolecarboxamide;

(116) N1-methyl-5-(2-((methylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(117) N1-methyl-5-(2-((diethylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(118) N1-(2-propynyl)-5-(2-((pyrrolidin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(119) N1-methyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(120) N1-ethyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(121) N1-cyclopropyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(122) N1-methyl-5-(2-(((4-(morpholin-4-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;

(123) N1-methyl-5-(2-(((4-(azetidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;

(124) N1-methyl-5-(2-(((4-(diethylamino)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;

(125) N1-methyl-5-(2-(((4-(4-hydroxypiperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide; and

(126) N1-propyl-5-(2-(pyrrolidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide.

32. (Presently amended) A The compound according to claim 1, a salt of the compound, or a hydrate of the foregoing, wherein the compound is a compound selected from a group consisting of

(1) 5-(2-(3-(2-oxo-2-(pyrrolidin-1-yl)ethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(2) 5-(2-(3-carbamoylmethylureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(3) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(4) N1-methyl-5-(2-((4-(2-hydroxy-2-methylpropionyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(5) 5-(2-(3-(4-oxo-4-(pyrrolidin-1-yl)butyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(6) 5-(2-(3-(3-(cyclopropylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(7) 5-(2-(3-(4-(4-hydroxy-4-methylpiperidin-1-yl)-4-oxobutyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(8) 5-(2-(3-(3-(methylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(9) N1-methyl-5-(2-(pyrrolidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(10) N1-methyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(11) N1-methyl-5-(2-(4-oxopiperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(12) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(13) 5-(2-(((4-(3-methylcarbamoylpropyl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

- (14) 5-(2-(((4-(3-carbamoylpropyl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (15) N1-methyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (16) N1-methyl-5-(2-(((4-(piperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (17) N1-methyl-5-(2-((3-methylsulfonylpropylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (18) N4-(4-(1-(methylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (19) N1-cyclopropyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (20) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (21) N1-ethyl-5-(2-(((4-hydroxypiperidin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (22) N1-ethyl-5-((2-((pyrrolidin-1-ylcarbonyl)amino)-4-pyridyl)oxy)-1H-1-indolecarboxamide;
- (23) N4-(4-((1-(ethylamino)carbonyl-1H-5-indolyl)oxy)-2-pyridyl)-4-morpholinecarboxamide;
- (24) N1-cyclopropyl-5-(2-((pyrrolidin-1-ylcarbonyl)amino)-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (25) N1-methyl-3-chloro-5-(2-(((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (26) N1-methyl-5-(2-((methylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (27) N1-methyl-5-(2-((diethylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (28) N1-(2-propynyl)-5-(2-((pyrrolidin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (29) N1-methyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (30) N1-ethyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (31) N1-cyclopropyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (32) N1-methyl-5-(2-(((4-(morpholin-4-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (33) N1-methyl-5-(2-(((4-(azetidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-

indolecarboxamide;

(34) N1-methyl-5-(2-(((4-(diethylamino)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;

(35) N1-methyl-5-(2-(((4-(4-hydroxypiperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide; and

(36) N1-propyl-5-(2-(pyrrolidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide.

33. (Presently amended) A The compound according to claim 1, a salt of the compound, or a hydrate of the foregoing, wherein the compound is a compound selected from a group consisting of

(1) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(2) N1-methyl-5-(2-(((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(3) N1-methyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;

(4) N1-methyl-5-(2-(((4-(piperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide; and

(5) N4-(4-(1-(methylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide.

34. (Presently amended) A pharmaceutical composition comprising a compound according to claim 1 ~~any of claims 1 to 33~~ and a pharmaceutical adjuvant.

35. (Presently amended) A prophylactic or therapeutic agent for a disease for which angiogenesis inhibition is effective, comprising as an active ingredient, a compound according to claim 1 ~~any of claims 1 to 33~~, a salt thereof, or a hydrate of the foregoing.

36. (Presently amended) An angiogenesis inhibitor comprising as an active ingredient, a compound according to claim 1 ~~any of claims 1 to 33~~, a salt thereof, or a hydrate of the foregoing.

37. (Presently amended) An antitumor agent comprising as an active ingredient, a compound according to claim 1, a salt thereof, or a hydrate of the foregoing.
38. (Presently amended) ~~A~~ The antitumor agent according to claim 37, wherein the tumor is a pancreatic cancer, a gastric cancer, a colon cancer, a breast cancer, a prostate cancer, a lung cancer, a renal cancer, a brain tumor, a blood cancer or an ovarian cancer.
39. (Presently amended) A therapeutic agent for hemangioma comprising as an active ingredient, a compound according to claim 1 ~~any of claims 1 to 33~~, a salt thereof, or a hydrate of the foregoing.
40. (Presently amended) A cancer metastasis inhibitor comprising as an active ingredient, a compound according to claim 1 ~~any of claims 1 to 33~~, a salt thereof, or a hydrate of the foregoing.
41. (Presently amended) A therapeutic agent for retinal neovascularization or diabetic retinopathy comprising as an active ingredient, a compound according to claim 1 ~~any of claims 1 to 33~~, a salt thereof, or a hydrate of the foregoing.
42. (Presently amended) A therapeutic agent for an inflammatory disease comprising as an active ingredient, a compound according to claim 1 ~~any of claims 1 to 33~~, a salt thereof, or a hydrate of the foregoing.
43. (Presently presented) ~~A~~ The therapeutic agent for an inflammatory disease according to claim 42, wherein the inflammatory disease is deformant arthritis, rheumatoid arthritis, psoriasis or delayed hypersensitivity reaction.
44. (Presently amended) A therapeutic agent for atherosclerosis comprising as an active ingredient, a compound according to claim 1 ~~any of claims 1 to 33~~, a salt thereof, or a hydrate of the foregoing.



45. (Presently amended) A prophylactic or therapeutic method for a disease for which angiogenesis inhibition is effective, comprising administering to a patient, a pharmacologically effective dose of a compound according to claim 1 ~~any of claims 1 to 33~~, a salt thereof, or a hydrate of the foregoing.

46. (Presently amended) Use of a compound according to claim 1 ~~any of claims 1 to 33~~, a salt thereof, or a hydrate of the foregoing for the manufacture of a prophylactic or therapeutic agent for a disease for which angiogenesis inhibition is effective.